

Code No.	Product Name	Quantity
D115-3MS	Anti-CENP-A (Human) mAb for My select sampler set	20 ug/20 uL
D282-3MS	Anti-CENP-K (ICEN37) (Human) mAb for My select sampler set	20 ug/20 uL
D283-3MS	Anti-CENP-L (ICEN33) (Human) mAb for My select sampler set	20 ug/20 uL
D284-3MS	Anti-CENP-M (ICEN39) (Human) mAb for My select sampler set	20 ug/20 uL
D285-3MS	Anti-CENP-N (ICEN32) (Human) mAb for My select sampler set	20 ug/20 uL
D286-3MS	Anti-CENP-T (ICEN22) (Human) mAb for My select sampler set	20 ug/20 uL
D343-3MS	Anti-Phospho-p62 (SQSTM1) (Ser403) mAb for My select sampler set	20 ug/20 uL
D344-3MS	Anti-Phospho-p62 (SQSTM1) (Ser403) mAb for My select sampler set	20 ug/20 uL
K0171-3MS	Anti-CENP-E (Human) mAb for My select sampler set	20 uL
M075-11MS	Mouse IgG1 (isotype control)-Magnetic Beads for My select sampler set	4 tests (Slurry: 200 uL)
M075-3MS	Mouse IgG1 (isotype control) for My select sampler set	20 ug/20 uL
M075-4MS	Mouse IgG1 (isotype control)-FITC for My select sampler set	10 ug/200 uL
M075-5MS	Mouse IgG1 (isotype control)-PE for My select sampler set	2 ug/200 uL
M075-8MS	Mouse IgG1 (isotype control)-Agarose for My select sampler set	4 tests (Gel: 40 uL)
M075-A48MS	Mouse IgG1 (isotype control)-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M075-A64MS	Mouse IgG1 (isotype control)-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M076-11MS	Mouse IgG2a (isotype control)-Magnetic Beads for My select sampler set	4 tests (Slurry: 200 uL)
M076-3MS	Mouse IgG2a (isotype control) for My select sampler set	20 ug/20 uL
M076-4MS	Mouse IgG2a (isotype control)-FITC for My select sampler set	10 ug/200 uL
M076-5MS	Mouse IgG2a (isotype control)-PE for My select sampler set	2 ug/200 uL
M076-A48MS	Mouse IgG2a-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M076-A64MS	Mouse IgG2a-Alexa Fluor 647 for My select sampler set	20 uL
M077-11MS	Mouse IgG2b (isotype control)-Magnetic Beads for My select sampler set	4 tests (Slurry: 200 uL)

M077-3MS	Mouse IgG2b (isotype control) for My select sampler set	20 ug/20 uL
M077-4MS	Mouse IgG2b (isotype control)-FITC for My select sampler set	10 ug/200 uL
M077-5MS	Mouse IgG2b (isotype control)-PE for My select sampler set	2 ug/200 uL
M077-A48MS	Mouse IgG2b-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M077-A64MS	Mouse IgG2b-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M078-3MS	Mouse IgG3 (isotype control) for My select sampler set	20 ug/20 uL
M078-4MS	Mouse IgG3 (isotype control)-FITC for My select sampler set	10 ug/200 uL
M079-3MS	Mouse IgM (isotype control) for My select sampler set	20 ug/20 uL
M080-3MS	Rat IgG1 (isotype control) for My select sampler set	20 ug/20 uL
M080-4MS	Rat IgG1 (isotype control)-FITC for My select sampler set	10 ug/200 uL
M080-5MS	Rat IgG1 (isotype control)-PE for My select sampler set	2 ug/200 uL
M080-A48MS	Rat IgG1 (isotype control)-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M080-A64MS	Rat IgG1 (isotype control)-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M081-11MS	Rat IgG2a (isotype control)-Magnetic Beads for My select sampler set	4 tests (Slurry: 200 uL)
M081-3MS	Rat IgG2a (isotype control) for My select sampler set	20 ug/20 uL
M081-4MS	Rat IgG2a (isotype control)-FITC for My select sampler set	10 ug/200 uL
M081-5MS	Rat IgG2a (isotype control)-PE for My select sampler set	2 ug/200 uL
M081-8MS	Rat IgG2a (isotype control)-Agarose for My select sampler set	4 tests (Gel: 40 uL)
M081-A48MS	Rat IgG2a (isotype control)-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M081-A64MS	Rat IgG2a (isotype control)-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M082-3MS	Rat IgG2c (isotype control) for My select sampler set	20 ug/20 uL
M082-4MS	Rat IgG2c (isotype control)-FITC for My select sampler set	10 ug/200 uL
M090-3MS	Rat IgG2b (isotype control) for My select sampler set	20 ug/20 uL
M090-4MS	Rat IgG2b (isotype control)-FITC for My select sampler set	10 ug/200 uL

M090-5MS	Rat IgG2b (isotype control)-PE for My select sampler set	2 ug/200 uL
M090-A48MS	Rat IgG2b (isotype control)-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M090-A64MS	Rat IgG2b (isotype control)-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M133-3MS	Anti-Atg3 mAb for My select sampler set	20 ug/20 uL
M134-3MS	Anti-Atg4B mAb for My select sampler set	20 uL
M135-3MS	Anti-GABARAP mAb for My select sampler set	20 ug/20 uL
M150-3MS	Anti-Atg16L mAb for My select sampler set	20 ug/20 uL
M151-3MS	Anti-Atg10 (Human) mAb for My select sampler set	20 ug/20 uL
M152-3MS	Anti-LC3 mAb for My select sampler set	40 ug/20 uL
M153-3MS	Anti-Atg5 mAb for My select sampler set	20 ug/20 uL
M154-3MS	Anti-Atg12 (Human) mAb for My select sampler set	20 ug/20 uL
M160-3MS	Anti-UVRAG mAb for My select sampler set	20 ug/20 uL
M162-3MS	Anti-p62 (SQSTM1) (Human) mAb for My select sampler set	20 ug/20 uL
M162-A48MS	Anti-p62 (SQSTM1) mAb-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M162-A59MS	Anti-p62 (SQSTM1) mAb-Alexa Fluor 594 for My select sampler set	20 ug/20 uL
M162-A64MS	Anti-p62 (SQSTM1) mAb-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M170-3MS	Anti-Rubicon (Human) mAb for My select sampler set	20 ug/20 uL
M171-3MS	Anti-GAPDH mAb for My select sampler set	60 ug/20 uL
M171-7MS	Anti-GAPDH mAb-HRP-Direct for My select sampler set	10 uL
M175-3MS	Anti- $\alpha$ -Tubulin mAb for My select sampler set	40 ug/20 uL
M175-A48MS	Anti- $\alpha$ -Tubulin mAb-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M175-A59MS	Anti- $\alpha$ -Tubulin mAb-Alexa Fluor 594 for My select sampler set	20 ug/20 uL
M175-A64MS	Anti- $\alpha$ -Tubulin mAb-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M176-3MS	Anti-EEA1 mAb for My select sampler set	20 ug/20 uL
M176-A48MS	Anti-EEA1 mAb-Alexa Fluor 488 for My select sampler set	20 ug/20 uL

M176-A59MS	Anti-EEA1 mAb-Alexa Fluor 594 for My select sampler set	20 ug/20 uL
M176-A64MS	Anti-EEA1 mAb-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M177-3MS	Anti-β-Actin mAb for My select sampler set	20 ug/20 uL
M178-3MS	Anti-Calnexin mAb for My select sampler set	20 ug/20 uL
M178-A48MS	Anti-Calnexin mAb-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M178-A59MS	Anti-Calnexin mAb-Alexa Fluor 594 for My select sampler set	20 ug/20 uL
M178-A64MS	Anti-Calnexin mAb-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M179-3MS	Anti-GM130 mAb for My select sampler set	20 ug/20 uL
M179-A48MS	Anti-GM130 mAb-Alexa Fluor 488 for My select sampler set	20 ug/20 uL
M179-A59MS	Anti-GM130 mAb-Alexa Fluor 594 for My select sampler set	20 ug/20 uL
M179-A64MS	Anti-GM130 mAb-Alexa Fluor 647 for My select sampler set	20 ug/20 uL
M181-3MS	Anti-KDEL mAb for My select sampler set	20 ug/20 uL
M183-3MS	Anti-Atg13 mAb for My select sampler set	20 ug/20 uL
M184-3MS	Anti-Atg14 (Human) mAb for My select sampler set	20 ug/20 uL
M186-3MS	Anti-LC3 mAb for My select sampler set	20 ug/20 uL
M186-7MS	Anti-LC3 mAb-HRP-DirecT for My select sampler set	10 uL
M189-3MS	Syrian Hamster IgG (isotype control) for My select sampler set	20 ug/20 uL
M199-3MS	Armenian Hamster IgG (isotype control) for My select sampler set	20 ug/20 uL
M200-3MS	Anti-NRF2 mAb for My select sampler set	20 ug/20 uL
M212-3MS	Anti-Syntaxin-17 (Human) mAb for My select sampler set	20 ug/20 uL
M217-3MS	Anti-Phospho-p62 (SQSTM1) (Ser351) mAb for My select sampler set	20 ug/20 uL
PD014MS	Anti-LC3 pAb for My select sampler set	20 uL
PD017MS	Anti-Becclin 1 pAb for My select sampler set	20 uL
PD018MS	Anti-CENP-K (ICEN37) (Human) pAb for My select sampler set	20 uL
PD019MS	Anti-CENP-50 (Human) pAb for My select sampler set	20 uL

PD020MS	Anti-CENP-O (Chicken) pAb for My select sampler set	20 uL
PD026MS	Anti-Atg14 pAb for My select sampler set	20 uL
PD027MS	Anti-Rubicon (Human) pAb for My select sampler set	20 uL
PD030MS	Anti-CENP-C (Human) pAb for My select sampler set	20 uL
PD031MS	Anti-CENP-H (Human) pAb for My select sampler set	20 uL
PD032MS	Anti-CENP-I (hMis6) (Human) pAb for My select sampler set	20 uL
PD036MS	Anti-Atg13 (Human) pAb for My select sampler set	20 uL
PD037MS	Anti-Tel2 pAb for My select sampler set	20 uL
PD041MS	Anti-Atg2A pAb for My select sampler set	20 uL
PD042MS	Anti-Atg9A pAb for My select sampler set	20 uL
PM034MS	Anti-Atg3 pAb for My select sampler set	20 uL
PM035-8MS	Normal Rabbit IgG-Agarose for My select sampler set	4 tests (Gel: 40 uL)
PM035MS	Normal Rabbit IgG for My select sampler set	100 ug/20 uL
PM036MS	Anti-LC3 pAb for My select sampler set	20 uL
PM037MS	Anti-GABARAP pAb for My select sampler set	20 uL
PM038MS	Anti-GATE-16 pAb for My select sampler set	20 uL
PM039MS	Anti-Atg7 (Human) pAb for My select sampler set	20 uL
PM040MS	Anti-Atg16L pAb for My select sampler set	20 uL
PM045MS	Anti-p62 (SQSTM1) pAb for My select sampler set	20 uL
PM050MS	Anti-Atg5 pAb for My select sampler set	20 uL
PM053-7MS	Anti- $\beta$ -Actin pAb-HRP-DirecT for My select sampler set	10 uL
PM053MS	Anti- $\beta$ -Actin pAb for My select sampler set	20 uL
PM054-7MS	Anti- $\alpha$ -Tubulin pAb-HRP-DirecT for My select sampler set	10 uL
PM054MS	Anti- $\alpha$ -Tubulin pAb for My select sampler set	20 uL
PM059MS	Anti-KDEL pAb for My select sampler set	20 uL

PM060MS	Anti-Calnexin pAb for My select sampler set	20 uL
PM061MS	Anti-GM130 pAb for My select sampler set	20 uL
PM062MS	Anti-EEA1 pAb for My select sampler set	20 uL
PM063MS	Anti-COX4 pAb for My select sampler set	20 uL
PM064MS	Anti-Lamin B1 pAb for My select sampler set	20 uL
PM066-7MS	Anti-p62 C-terminal pAb-HRP-DirecT for My select sampler set	10 uL
PM066MS	Anti-p62 C-terminal pAb for My select sampler set	20 uL
PM067MS	Normal Guinea Pig IgG for My select sampler set	20 ug/20 uL
PM069MS	Anti-NRF2 pAb for My select sampler set	20 uL
PM072MS	Anti-VMP1 pAb for My select sampler set	20 uL
PM074MS	Anti-Phospho-p62 (SQSTM1) (Ser351) pAb for My select sampler set	20 uL
PM076MS	Anti-Syntaxin-17 (Human) pAb for My select sampler set	20 uL